

## SF-36 e VAS nelle metastasi vertebrali

	PF	RP	BP	GH	VT	SF	RE	MH	PCS	MCS
MEAN	37,22	8,33	42,44	42,33	60,56	40,56	77,78	61,78	27,56	49,67
CI	20,14	11,55	20,46	17,81	7,91	19,11	28,81	13,46	6,88	6,99
N	9,00	9,00	9,00	9,00	9,00	9,00	9,00	9,00	9,00	9,00
SD	30,83	17,68	31,32	27,27	12,10	29,25	44,10	20,60	10,54	10,70

### Legenda

**MEAN** = valori medi nel campione, **CI** = intervallo di confidenza al 95%, **N** = dimensione campionaria, **SD** = deviazione standard.

**PF** = Physical Function, **RP** = Role Physical, **BP** = Bodily Pain, **GH** = General Health, **VT** = Vitality, **SF** = Social Function, **RE** = Role Emotional, **MH** = Mental Health, **PCS** = Physical Component Summary, **MCS** = Mental Component Summary.

VAS PER DOLORE AL RACHIDE	MEDIA	MAX	MIN	P
PREOPERATORIO	55	100	10	
2 MESI	29	70	10	<0,01
6 MESI	27	70	10	<0,05